

FUSE RATINGS

DIRECTION CONTROL	15 AMP
IGNITION	15 AMP
OPTION	15 AMP
HORN	15 AMP
HEADLIGHTS	15 AMP
BRAKE LIGHTS	15 AMP

INSTRUMENT POD

<1>	OPEN
<2>	OPEN
<3>	OPEN
<4>	POWER IN
<5>	OPEN
<6>	ENGINE TEMP GAUGE
<7>	GROUND
<8>	OPEN
<9>	OPEN
<10>	LOW LPG FUEL LIGHT
<11>	ENGINE OIL PRESS LIGHT
<12>	CHARGE LIGHT
<13>	HORN
<14>	PARK BRAKE LIGHT
<15>	TRANS TEMP WARNING
<16>	OPEN
<17>	AIR FILTER LIGHT
<18>	IGNITION
<19>	FUEL LEVEL GAUGE
<20>	HYDRAULIC FILTER LIGHT
<21>	OPEN
<22>	OPEN
<23>	TRANSMISSION TEMP LIGHT
<24>	IGNITION

METRIC


DESIGN CONTROL
 F
 100% TESTING REQUIRED
 ALL PARTS TO BE REWORKED
 IN PLACE

DIAGRAM-WIRING
 CASALPCC

IN-24906

DATE: 01/17/87
 DRAWN BY: []
 CHECKED BY: []

REVISION	NO.	DATE	BY	DESCRIPTION



THE PARTY POSSESSING THIS DOCUMENT
 AGREES TO HOLD THE SAME IN STRICTEST
 CONFIDENCE AND TO REPRODUCE IT ONLY
 AS AUTHORIZED BY THE COMPANY.
 THIS DOCUMENT IS THE PROPERTY OF THE
 COMPANY AND IS LOANED TO YOU FOR YOUR
 USE ONLY. IT IS NOT TO BE REPRODUCED,
 COPIED, OR IN ANY MANNER DISCLOSED
 TO OTHERS WITHOUT THE WRITTEN
 PERMISSION OF THE COMPANY.

IN-24906-1

DESIGN CONTROL	DATE	BY
REVISED	DATE	BY
UNAPPROVED WORK	DATE	BY
ALL RIGHTS RESERVED	DATE	BY
METRIC	DATE	BY
CONTROLLED DOCUMENT	DATE	BY
UNCONTROLLED DOCUMENT	DATE	BY
REVISIONS	DATE	BY
NO.	DESCRIPTION	DATE
1	ISSUED	11/80
2	REVISED	11/80
3	REVISED	11/80
4	REVISED	11/80
5	REVISED	11/80
6	REVISED	11/80
7	REVISED	11/80
8	REVISED	11/80
9	REVISED	11/80
10	REVISED	11/80
11	REVISED	11/80
12	REVISED	11/80

DIAGRAM-WIRING
 GAS/LPG
 IN-24906
 SHEET 3 OF 3

CONTINUED ON SHEET 2

METRIC
 DESIGN CONTROL
 UNAPPROVED WORK
 ALL RIGHTS RESERVED

FOR THE USE OF THE CUSTOMER
 IN-24907


DIAGRAM-WIRING
 DSL

DATE: 11/11/88
 DRAWN BY: []
 CHECKED BY: []
 APPROVED BY: []


NO.	DESCRIPTION	DATE
1	ISSUED FOR WORK	
2	ISSUED FOR WORK	
3	ISSUED FOR WORK	
4	ISSUED FOR WORK	
5	ISSUED FOR WORK	
6	ISSUED FOR WORK	
7	ISSUED FOR WORK	
8	ISSUED FOR WORK	
9	ISSUED FOR WORK	
10	ISSUED FOR WORK	
11	ISSUED FOR WORK	
12	ISSUED FOR WORK	

FUSE RATINGS

DIRECTION CONTROL	5 AMP
IGNITION	15 AMP
OPTION	15 AMP
PREHEAT	15 AMP
HORN	15 AMP
HEADLIGHTS	15 AMP
BRAKE LIGHTS	15 AMP



THE PARTY POSSESSING THIS DOCUMENT
 AGREES TO HOLD METRIC INC. HARMLESS
 AGAINST ALL CLAIMS, DAMAGES, LOSSES
 AND EXPENSES, INCLUDING REASONABLE
 ATTORNEY'S FEES, ARISING OUT OF OR
 RESULTING FROM THE USE OF THIS
 DOCUMENT, WHETHER OR NOT CAUSED,
 CAUSED IN WHOLE OR IN PART, BY THE
 NEGLIGENCE OF METRIC INC. OR ITS
 AGENTS, EMPLOYEES, OR CONTRACTORS.
 PERMISSION OF THE COMPANY
 IN-24907



IN-24907
 THIS DOCUMENT IS THE PROPERTY OF METRIC. IT IS TO BE USED ONLY FOR THE PURPOSES INDICATED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. ALL RIGHTS ARE RESERVED.

CONTINUED ON SHEET 1

CONTINUED ON SHEET 3

CONTINUED ON REAR OPTIONS WIRING DIAGRAM

DESIGN CONTROL	DATE	BY	APP'D
APPROVAL	DATE	BY	APP'D
REVISIONS	DATE	BY	DESCRIPTION
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			

PROJECT NO.	IN-24907
DATE	
BY	
APP'D	
REVISIONS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	

PROJECT NO.	IN-24907
DATE	
BY	
APP'D	
REVISIONS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	

PROJECT NO.	IN-24907
DATE	
BY	
APP'D	
REVISIONS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	

DIAGRAM-WIRING
 DSL

